ELSEVIER

Bioelectrochemistry and Bioenergetics 37 (1995) 171

BIOELECTROCHEMISTRY AND BIOENERGETICS

Author Index of Volume 37

Alipov, Ye.D. 85

Belyaev, I.Ya. 85
Blank, M. 153

Cao, G. 131
Chen, T. 125
Cleary, S.F. 131

Dlugopolsky, J. 61
Dong, S. 125

Fuller, B.E. 109

Grospietsch, T. 17
Guo, Y. 125

Haack, R.A. 55
Haggett, B.G.D. 77
Hahneiser, O. 51
Hetscher, M. 1, 5, 25, 51
Hianik, T. 61
Hölzel, R. 17
Hong, F.H. 91
Hong, F.T. 91, 109

Jyothi, G. 161

Kijlstra, J. 149
Kluge, W. 31
Kohlsmann, S. 1, 5, 25, 51
Kramer, K. 31
Kramer, K.-D. 17
Kramer, K.D. 1, 5, 11, 25, 51
Kullnick, U. 39, 47

Lambertz, M. 31
Lamprecht, I. 17
Langhorst, P. 31
Lazarova, T.R. 69
Liu, L.-M. 131
Lukashev, E.P. 157
Lüthe, L.C. 47

Maile, S. 11
Martirosov, S. 153
Matronchik, A.Yu. 85
Matsumoto, F. 73
Merker, H.-J. 11
Mitra, C.K. 161
Mohamed-Ali, H. 25
Müller, M. 11

Ohsaka, T. 73
Okajima, T. 73
Okajima, T.L. 109

Passechnik, V.I. 61

Radko, S.P. 85
Rawson, D.M. 77
Rittweger, J. 31
Robertson, B. 157
Rogerson, J.G. 77

Sargent, D.F. 61
Scheller, M. 25
Schulz, O. 17
Shintani, Y. 73
Silva, M.J. 141
Sokolikova, L. 61

Tokuda, K. 73
Tomov, T.Ch. 101

Van der Wal, A. 149
Velitchkova, M.Y. 69
Volkov, A.G. 55

Wolff, H.G. 47
Wong, J.L. 141

Zanev, Y. 69

ELSEVIER

Bioelectrochemistry and Bioenergetics 37 (1995) 173–176

BIOELECTROCHEMISTRY AND BIOENERGETICS

Subject Index of Volume 37

Bacteriorhodopsin
Analysis of the d.c. photoelectric signal from model bacteriorhodopsin membranes: d.c. photoconductivity determination by the null current method and the effect of proton ionophores (Fuller et al.) 109
Bacteriorhodopsin function
Bacteriorhodopsin retains its light-induced proton-pumping function after being heated to 140°C (Lukashev, Robertson) 157
Bacteriorhodopsin purple membranes
Component analysis of the fast photoelectric signal from model bacteriorhodopsin membranes. Part 4. A method for isolating the B2 component and the evidence for its polarity reversal at low pH (Hong, Hong) 91
Bilayer lipid membranes
Surface potentials and solvent redistribution may explain the dependence of electrical and mechanical properties of supported lipid bilayers on applied potential and bilayer history (Hianik et al.) 61
Bioassay system
Electrochemical bioassay system. Redox responses of *Escherichia coli* cultures to environmental stresses (Silva, Wong) 141
Bioelectrochemistry
Electrochemical bioassay system. Redox responses of *Escherichia coli* cultures to environmental stresses (Silva, Wong) 141
Biomagnetic fields
Development and application of a SQUID sensor array for the measurement of biomagnetic fields (Hahneiser et al.) 51

Calcium release
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? I. Electromagnetic fields (Kullnick) 39
Calculations
Calculation and precision measurements of distorted r.f. EMF in a rectangular cavity resonator (Kohlsmann et al.) 1
Cartilage matrix
Action of a high-frequency magnetic field on the cartilage matrix in vitro (Mohamed-Ali et al.) 25
Cavity resonator
Behaviour of monolayer cultures exposed to a low-frequency modulated radiofrequency electric field (Müller et al.) 11
Stimulating effects of modulated 150 MHz electromagnetic fields on the growth of *Escherichia coli* in a cavity resonator (Grospietsch et al.) 17
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? II. Magnetic fields (Kullnick et al.) 47
Cell synchronization
Cell cycle alterations induced by isothermal 27 MHz radiofrequency radiation exposure (Cao et al.) 131
Chemical injury
Insect-induced bioelectrochemical signals in potato plants (Volkov, Haack) 55
Chlorophyll fluorescence
Trypsin-induced changes in energy distribution between photosystem I and photosystem II in pea thylakoid membranes (Velitchkova et al.) 69
Common brainstem system
Influence of modulated high-frequency electromagnetic fields on the functional organization and dynamics of the common brainstem system (Rittweger et al.) 31
Coryreform mobility
Electrokinetic behaviour of bacterial suspensions (Kijlstra, Van der Wal) 149
Cytochrome c
Voltammetry of cytochrome c entrapped in hydrogel membrane on graphite electrode (Chen et al.) 125

D.c. photoconductivity
Analysis of the d.c. photoelectric signal from model bacteriorhodopsin membranes: d.c. photoconductivity determination by the null current method and the effect of proton ionophores (Fuller et al.) 109
Dielectrophoresis
Electrokinetic behaviour of bacterial suspensions (Kijlstra, Van der Wal) 149
Dinitrophenol
Electrochemical bioassay system. Redox responses of *Escherichia coli* cultures to environmental stresses (Silva, Wong) 141

E. coli
Inhibition of F_0F_1-H^+-ATPase activity in ac fields (Martirosov, Blank) 153
E. coli growth
Electrochemical bioassay system. Redox responses of *Escherichia coli* cultures to environmental stresses (Silva, Wong) 141
Elasticity modulus
Surface potentials and solvent redistribution may explain the dependence of electrical and mechanical properties of supported lipid bilayers on applied potential and bilayer history (Hianik et al.) 61
Electrical frequency windows
Cooperativity in *E. coli* cell response to resonance effect of weak extremely low frequency electromagnetic field (Belyaev et al.) 85

Electrokinetics
Electrokinetic behaviour of bacterial suspensions (Kijlstra, Van der Wal) 149
Electromagnetic field
Stimulating effects of modulated 150 MHz electromagnetic fields on the growth of *Escherichia coli* in a cavity resonator (Grospietsch et al.) 17
Electroporation
Quantitative dependence of electroporation on the pulse parameters (Tomov) 101
Electrostriction
Surface potentials and solvent redistribution may explain the dependence of electrical and mechanical properties of supported lipid bilayers on applied potential and bilayer history (Hianik et al.) 61
ELF EM field
Cooperativity in *E. coli* cell response to resonance effect of weak extremely low frequency electromagnetic field (Belyaev et al.) 85
Energy distribution
Trypsin-induced changes in energy distribution between photosystem I and photosystem II in pea thylakoid membranes (Velitchkova et al.) 69
Enzyme inhibition
Inhibition of F_0F_1-H^+-ATPase activity in ac fields (Martirosov, Blank) 153
EPR determinations
Measurements of intrinsic r.f. magnetic field strengths distorted by electric properties of biological samples (Hetscher et al.) 5
Escherichia coli
Stimulating effects of modulated 150 MHz electromagnetic fields on the growth of *Escherichia coli* in a cavity resonator (Grospietsch et al.) 17

Fast photoelectric effect
Component analysis of the fast photoelectric signal from model bacteriorhodopsin membranes. Part 4. A method for isolating the B2 component and the evidence for its polarity reversal at low pH (Hong, Hong) 91
Fibroblast
Behaviour of monolayer cultures exposed to a low-frequency modulated radiofrequency electric field (Müller et al.) 11
Field distortion
Measurements of intrinsic r.f. magnetic field strengths distorted by electric properties of biological samples (Hetscher et al.) 5
Flow cytofluorometry
Cell cycle alterations induced by isothermal 27 MHz radiofrequency radiation exposure (Cao et al.) 131

Gel entrapping
Voltammetry of cytochrome c entrapped in hydrogel membrane on graphite electrode (Chen et al.) 125
Generation time dependence
Stimulating effects of modulated 150 MHz electromagnetic fields on the growth of *Escherichia coli* in a cavity resonator (Grospietsch et al.) 17
Genome resonance
Cooperativity in *E. coli* cell response to resonance effect of weak extremely low frequency electromagnetic field (Belyaev et al.) 85
Graphite electrode
Voltammetry of cytochrome c entrapped in hydrogel membrane on graphite electrode (Chen et al.) 125

Heart frequency
Influence of modulated high-frequency electromagnetic fields on the functional organization and dynamics of the common brainstem system (Rittweger et al.) 31
High frequency modulated
Behaviour of monolayer cultures exposed to a low-frequency modulated radiofrequency electric field (Müller et al.) 11
High-frequency modulated
Stimulating effects of modulated 150 MHz electromagnetic fields on the growth of *Escherichia coli* in a cavity resonator (Grospietsch et al.) 17
Influence of modulated high-frequency electromagnetic fields on the functional organization and dynamics of the common brainstem system (Rittweger et al.) 31
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? I. Electromagnetic fields (Kullnick) 39
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? II. Magnetic fields (Kullnick et al.) 47
Human erythrocytes
Quantitative dependence of electroporation on the pulse parameters (Tomov) 101
Hydrogel membrane
Voltammetry of cytochrome c entrapped in hydrogel membrane on graphite electrode (Chen et al.) 125
Hyperpolarization
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? I. Electromagnetic fields (Kullnick) 39

Immobilized *Escherichia coli*
Redox-mediated monitoring of immobilized *Escherichia coli* exposed to a vapour phase (Haggett et al.) 77
Induced action potential
Insect-induced bioelectrochemical signals in potato plants (Volkov, Haack) 55
Intervesicular transfer
Energetics of ionophore exchange and incorporation (Jyothi, Mitra) 161
Intrinsic radiofrequency field
Measurements of intrinsic r.f. magnetic field strengths distorted by electric properties of biological samples (Hetscher et al.) 5
Isothermal exposure
Cell cycle alterations induced by isothermal 27 MHz radiofrequency radiation exposure (Cao et al.) 131

Light-induced proton pumping
Bacteriorhodopsin retains its light-induced proton-pumping function after being heated to 140°C (Lukashev, Robertson) 157

Magnetic field
Action of a high-frequency magnetic field on the cartilage matrix in vitro (Mohamed-Ali et al.) 25
Magnetoencephalogram
Influence of modulated high-frequency electromagnetic fields on the functional organization and dynamics of the common brainstem system (Rittweger et al.) 31
Mammalian cell cycle
Cell cycle alterations induced by isothermal 27 MHz radiofrequency radiation exposure (Cao et al.) 131
Mediated electron transfer
Mediated electron transfer of polyethylene oxide-modified superoxide dismutase by methyl viologen (Ohsaka et al.) 73
Membrane fluidity
Energetics of ionophore exchange and incorporation (Jyothi, Mitra) 161

Membrane insertions
Energetics of ionophore exchange and incorporation (Jyothi, Mitra) 161
Membrane potential
Surface potentials and solvent redistribution may explain the dependence of electrical and mechanical properties of supported lipid bilayers on applied potential and bilayer history (Hianik et al.) 61
Membrane transport
Energetics of ionophore exchange and incorporation (Jyothi, Mitra) 161
Methyl viologen
Mediated electron transfer of polyethylene oxide-modified superoxide dismutase by methyl viologen (Ohsaka et al.) 73
Microthermal effect
Stimulating effects of modulated 150 MHz electromagnetic fields on the growth of *Escherichia coli* in a cavity resonator (Grospietsch et al.) 17
Mutant strains
Inhibition of F_0F_1-H^+-ATPase activity in ac fields (Martirosov, Blank) 153

Organoid culture
Action of a high-frequency magnetic field on the cartilage matrix in vitro (Mohamed-Ali et al.) 25

Photocurrent
Component analysis of the fast photoelectric signal from model bacteriorhodopsin membranes. Part 4. A method for isolating the B2 component and the evidence for its polarity reversal at low pH (Hong, Hong) 91
Analysis of the d.c. photoelectric signal from model bacteriorhodopsin membranes: d.c. photoconductivity determination by the null current method and the effect of proton ionophores (Fuller et al.) 109
Bacteriorhodopsin retains its light-induced proton-pumping function after being heated to 140°C (Lukashev, Robertson) 157
Photoelectric effect
Analysis of the d.c. photoelectric signal from model bacteriorhodopsin membranes: d.c. photoconductivity determination by the null current method and the effect of proton ionophores (Fuller et al.) 109
Photosystem I
Trypsin-induced changes in energy distribution between photosystem I and photosystem II in pea thylakoid membranes (Velitchkova et al.) 69
Photosystem II
Trypsin-induced changes in energy distribution between photosystem I and photosystem II in pea thylakoid membranes (Velitchkova et al.) 69
Photovoltage
Analysis of the d.c. photoelectric signal from model bacteriorhodopsin membranes: d.c. photoconductivity determination by the null current method and the effect of proton ionophores (Fuller et al.) 109
Bacteriorhodopsin retains its light-induced proton-pumping function after being heated to 140°C (Lukashev, Robertson) 157
Polyethylene oxide-modified superoxide dismutase
Mediated electron transfer of polyethylene oxide-modified superoxide dismutase by methyl viologen (Ohsaka et al.) 73
Potato beetle
Insect-induced bioelectrochemical signals in potato plants (Volkov, Haack) 55
Proton ionophores
Analysis of the d.c. photoelectric signal from model bacteriorhodopsin membranes: d.c. photoconductivity determination by the null current method and the effect of proton ionophores (Fuller et al.) 109
Pulse parameters
Quantitative dependence of electroporation on the pulse parameters (Tomov) 101
Purple membrane films
Bacteriorhodopsin retains its light-induced proton-pumping function after being heated to 140°C (Lukashev, Robertson) 157
Purple membranes
Analysis of the d.c. photoelectric signal from model bacteriorhodopsin membranes: d.c. photoconductivity determination by the null current method and the effect of proton ionophores (Fuller et al.) 109

Radiofrequency field
Calculation and precision measurements of distorted r.f. EMF in a rectangular cavity resonator (Kohlsmann et al.) 1
Redox-mediated monitoring
Redox-mediated monitoring of immobilized *Escherichia coli* exposed to a vapour phase (Haggett et al.) 77
Resting potential
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? I. Electromagnetic fields (Kullnick) 39
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? II. Magnetic fields (Kullnick et al.) 47
R.F. radiation
Cell cycle alterations induced by isothermal 27 MHz radiofrequency radiation exposure (Cao et al.) 131

Solar energy conversion
Analysis of the d.c. photoelectric signal from model bacteriorhodopsin membranes: d.c. photoconductivity determination by the null current method and the effect of proton ionophores (Fuller et al.) 109
Solid support
Surface potentials and solvent redistribution may explain the dependence of electrical and mechanical properties of supported lipid bilayers on applied potential and bilayer history (Hianik et al.) 61
SQUID sensor arrays
Development and application of a SQUID sensor array for the measurement of biomagnetic fields (Hahneiser et al.) 51
Stress factors
Electrochemical bioassay system. Redox responses of *Escherichia coli* cultures to environmental stresses (Silva, Wong) 141

Thermal degradation
Bacteriorhodopsin retains its light-induced proton-pumping function after being heated to 140°C (Lukashev, Robertson) 157
Three states of cytochrome c
Voltammetry of cytochrome c entrapped in hydrogel membrane on graphite electrode (Chen et al.) 125
Thylakoid membranes
Trypsin-induced changes in energy distribution between photosystem I and photosystem II in pea thylakoid membranes (Velitchkova et al.) 69
Trypsin treatment
Trypsin-induced changes in energy distribution between photosystem I and photosystem II in pea thylakoid membranes (Velitchkova et al.) 69

Vapour phase
Redox-mediated monitoring of immobilized *Escherichia coli* exposed to a vapour phase (Haggett et al.) 77
Vineyard snail
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? I. Electromagnetic fields (Kullnick) 39
Do weak, low pulsed frequency, high-frequency electromagnetic or magnetic fields alter the basic bioelectrical parameters of nerve cells in vineyard snails (*Helix pomatia* L.)? II. Magnetic fields (Kullnick et al.) 47